

| Grammatura Substance | ISO 536 | g/m² | 90 | 100 | 115 | 130 | 150 | 170 | 200 |
|---|----------------|------------------------|-----------|------------|------------|------------|------------|------------|------------|
| Spessore <i>Caliper</i> | ISO 534 | μm | 68 | 75 | 84 | 95 | 112 | 131 | 154 |
| Volume specifico <i>Bulk</i> | ISO 534 | cm^3/g | 0.76 | 0.75 | 0.73 | 0.73 | 0.75 | 0.77 | 0.77 |
| Lucido Gardner <i>Gloss Gardner</i> | ISO 8254-1 | % | 68 | 70 | 72 | 72 | 72 | 72 | 72 |
| Grado di bianco CIE <i>Whiteness CIE</i> | ISO 11475 | % | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| Bianco ISO <i>Brightness ISO</i> | ISO 2470 (D65) | % | 94.5 | 94.5 | 94.5 | 95 | 95 | 95 | 95 |
| Opacità ISO <i>Opacity ISO</i> | ISO 2471 | % | 91 | 93 | 95 | 96 | 96 | 97 | 98 |

Finitura *Finishing*

Gloss

Tipo di stampa *Printing methods*

Heatset web-offset

Applicazioni *End uses*

Brochure, Calendari, Copertine di libri e di riviste, Libri d'arte e di lusso, Libri illustrati, Libri per bambini, Locandine, Report ambientali, Report commerciali e finanziari, Stampe commerciali

Brochures, Calendars, Books and publishing covers, Art and luxury books, Illustrated books, Children books, Posters, Environmental reports, Business and financial reports, Commercial printing

I valori relativi ai singoli prodotti sono forniti a titolo esemplificativo e possono essere soggetti a modifiche senza preavviso. Ogni valore è soggetto a determinate tolleranze.
Values referred to each quality are to be considered as reference data and could change without notice. Each value is subject to trade tolerances.