

R4 chorus SATIN

CARTE PER STAMPE DI PREGIO - FINE PAPERS

CARTE PATINATE SENZA LEGNO - COATED WOODFREE PAPER (CWF)



| Grammatura Substance | ISO 536 | g/m^2 | 90 | 100 | 115 | 130 | 135 | 150 | 170 | 200 | 250 | 300 | 350 |
|--------------------------------------|----------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Spessore Caliper | ISO 534 | μm | 78 | 85 | 94 | 106 | 111 | 118 | 136 | 166 | 215 | 275 | 325 |
| Volume specifico Bulk | ISO 534 | cm^3/g | 0.86 | 0.85 | 0.82 | 0.82 | 0.82 | 0.79 | 0.8 | 0.83 | 0.86 | 0.9 | 0.93 |
| Liscio Bekk Smoothness Bekk | ISO 5627 | s | 400 | 400 | 500 | 450 | 450 | 400 | 350 | 250 | 200 | 300 | 300 |
| Lucido Gardner Gloss Gardner | ISO 8254-1 | % | 45 max | 45 max | 45 max | 45 max | 45 max | 45 max | 45 max | 45 max | 45 max | 45 max | 45 max |
| Grado di bianco CIE Whiteness CIE | ISO 11475 | % | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| Bianco ISO Brightness ISO | ISO 2470 (D65) | % | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 | 97 |
| Opacità ISO Opacity ISO | ISO 2471 | % | 92.5 | 94 | 95 | 96 | 96.5 | 97 | 98 min | 98 min | 98 min | 98 min | 98 min |

Finitura *Finishing*

Satin

Tipo di stampa *Printing methods*

Sheet-fed offset

Applicazioni *End uses*

Brochure, Cataloghi, Copertine di libri e di riviste, Direct Mailing, Inserti, Libri, Libri d'arte e di lusso, Periodici, Report commerciali e finanziari, Riviste di pregio, Stampe commerciali

Brochures, Catalogues, Books and publishing covers, Direct Mailing, Inserts, Books, Art and luxury books, Magazines, Business and financial reports, Luxury magazines, Commercial printing

I valori relativi ai singoli prodotti sono forniti a titolo esemplificativo e possono essere soggetti a modifiche senza preavviso. Ogni valore è soggetto a determinate tolleranze.
Values referred to each quality are to be considered as reference data and could change without notice. Each value is subject to trade tolerances.

BURGO
GROUP