

icc profile indication



ISO 12647-2:2007

Premium coated (PS1) - Sheet-fed offset & Heatset Web-offset

BRAND	GRADE	FINISHING	PRINTING METHODE	SCREEN TYPE	ISO/ECI PROFILE	FOGRA	CHAR. DATA	TVI curve	D50/2° - M0 - WB			D50/2° - M1- WB			Fluorescence
									L+	a*	b*	L+	a*	b*	
R4 Chorus	CWF	GLOSS	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	0,7	-3,9	94,5	0,9	-5,0	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		HSWO		Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	0,7	-3,9	94,5	0,9	-5,0	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		SATIN	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	95	0,9	-4,6	95,2	1,1	-5,6	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
R4 Next/ Respecta / Respecta 60	CWF	GLOSS	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94	1,3	-4,4	94	1,5	-5,9	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		SATIN	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		GLOSS	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94	1,3	-4,4	94	1,5	-5,9	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
R4 Web /Respecta Web / Respecta 60 Web	CWF	GLOSS	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		SATIN	HSWO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		MATT	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
Tecno Plus/EcoTecno Plus	CWF	GLOSS	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94	1,3	-4,4	94	1,5	-5,9	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		SATIN	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		GLOSS	HSWO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94	1,3	-4,4	94	1,5	-5,9	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
Tecno Plus Web/EcoTecno Plus Web	CWF	GLOSS	HSWO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		SATIN	HSWO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		GLOSS	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	95,6	1,5	-3,2	95,7	1,7	-5,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
Prisma Up	CWF	GLOSS	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	96	1,5	-4,2	95,9	1,7	-6,3	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		SATIN	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	93,2	1,4	-6,1	93,4	1,6	-7,6	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
		SATIN	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,4	1,2	-4,9	94,5	1,5	-6,8	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
Hollywoofree Linen	C1S	SATIN	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	95,8	0,9	-3,3	95,7	1,0	-4,7	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							

Premium coated (PS1) - Recycled Coated - Sheet-fed offset & Heatset Web-offset

BRAND	GRADE	FINISHING	PRINTING METHODE	SCREEN TYPE	ISO/ECI PROFILE	FOGRA	CHAR. DATA	TVI curve	D50/2° - M0 - WB			D50/2° - M1- WB			Fluorescence
									L+	a*	b*	L+	a*	b*	
Reborn	HWC	SATIN	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	92,2	1,3	-2,2	92,1	1,4	-3,0	faint
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
Reborn Web	HWC	SATIN	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	92,2	1,3	-2,2	92,1	1,4	-3,0	faint
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
Respecta100	HWC	SATIN	SFO	Analogue	ISOcoated_v2_eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							
Respecta100 Web	HWC	SATIN	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,5	1,6	-4,6	95	1,8	-6,1	moderate
				N.P.(+FM)	PSO_Coated_300_Npscreen_ISO12647_eci.icc	FOGRA43L.tst		F(CMYK)							

Premium coated (PS1) - Sheet-fed offset & Heatset Web-offset

BRAND	GRADE	FINISHING	PRINTING METHOD	SCREEN TYPE	ISO/ECI PROFILE	FOGRA	CHAR. DATA	TVI curve	L+	D50/2° - M0 - WB a*	b*	L+	D50/2° - M1- WB a*	b*	Fluorescence
Uno Bright PLUS	MWC	GLOSS	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,0	1,3	-4,0	94,0	1,3	-5,2	moderate
Uno Bright	MWC	GLOSS	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	93,5	1,1	-3,8	93,5	1,1	-5,0	moderate
		SATIN	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,0	1,1	-3,8	94,0	1,1	-5,0	moderate
Uno Bright Bulky 1.0/Miraprint 1.0	MWC	SATIN	HSWO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,0	1,1	-4,0	94,0	1,1	-5,2	moderate
Miraprint	MWC	GLOSS	SFO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	93,5	1,1	-3,8	93,5	1,1	-5,0	moderate
		SATIN	SFO	Analogue	ISOcoated_v2_300eci.icc	FOGRA39L.tst		A(CMY), B(K)	94,0	1,1	-3,8	94,0	1,1	-5,0	moderate